


WIRE ASSIGNMENT	
REF.	PIN
W2	1
W1	2

REV.	DESCRIPTION	DATE:	ALT. BY	APROVED
A	DRAFTED	04.22.09	M.BROWNING	



**Assembly Must Comply With Specifications of Manufacture and Acceptance (RoHS M&A)
of RoHS Compliant Cable and Cable Assemblies for WinSystems, Inc.
Rev B 11.11.2008**

DET.	REF.	DESCRIPTION	MANUFACTURER	MPART NO.	WIN. NO.	-1	100		
100	EI					1			
101		.1" Pitch KK Crimp Terminal Housing, 7880 High Pressure, 2 Circuits	MOLEX	10-11-2023	-----		1		
102		KK High Pressure Crimp Terminal 7879, 22-30 AWG, Bag Selective Gold (Au)	MOLEX	08-55-0129	-----		2		
W1	**	WIRE, 22 AWG. BLACK	ALPHA	7055/19-2	109-0000-221		18"		
W2	**	WIRE, 22 AWG. WHITE	ALPHA	7055/19-1	109-0009-221		18"		
**		ALT. WIRE MAY BE USED. STYLE UL1429 / MIL-W-16878D TYPE B							

WinSystems, Inc.

"THE STD BUS AUTHORITY"

TITLE: CBL-219-G-2-1.5A *RoHS*

DRW. BY: M.BROWNING DATE: 04.22.09 APP. BY: DATE:

ACAD ID: SCALE: NOTED TOL:

FSCM. NO: DRW. NO: REV: A SHT. 1 OF 1

FULL SCALE

PART NO.	(0.0)	(0.00)	(0.000)	ANG.
TOLERANCE UNLESS NOTED	±	±	±	±

100